

# LDT @ Library

## 臺灣鏈結資源系統

### 館員作業流程教育訓練 (編目部分)



臺灣大學圖書館採訪編目組 黃怡華

2022年4月28日

# 大綱

---

- 鏈結資料與書目關聯性
- 權威資料庫優先級擇定
- 操作流程：資料庫選用 & Alma Refine
- Alma功能：報表功能 & 批次修改



# 鏈結資料與書目關聯性



# 權威與書目關係 (2-1)

- 權威控制：
  - \* 標目一致性：不同名稱使用相同且唯一的標目
  - \* 資源之聚集：可依個人/團體名稱、題名、主題等聚集資源
  - \* 關係之鏈結：
    - 不同名稱(標目)之關係參照
    - 權威與書目紀錄之鏈結
    - 不同系統紀錄間之鏈結



# 權威與書目關係 (2-2)

- 權威控制工作：
  - \* 標目擇定
  - \* 建置/維護權威紀錄內容
  - \* 維護權威標目與書目標目之一致性
- 發展趨勢：
  - \* 各館獨立發展
  - \* 聯合權威資料庫：SMRT、TWNAF、HKCAN、VIAF...
  - \* 雲端作業系統：直接選用、節省建檔人力
  - \* 發展Linked Data之基礎



# Linked Data與書目欄位 (5-1)

- 增加關係欄位：

- \* 作者與作品關係

- 使用欄位：個人名稱(X00)、團體名稱(X10)
    - 使用分欄：\$e關係詞彙、\$4 關係代碼或URI

傾城之戀 / 張愛玲著

100 1\_\$a 張愛玲,\$e author. \$4 aut

愛默森文選 / 愛默森著 ; 張愛玲譯

700 1\_\$a 張愛玲,\$e translor. \$4 trl



# Linked Data與書目欄位 (5-2)

- 增加關係欄位：

- \* 作品與作品關係

- 使用欄位：Added Entries(700-730)、Linking Entries(76X-78X)
    - 使用分欄：\$i 關係標示語(Relationship information)

奧泰羅：全曲 / 朱塞佩.威爾第 (作曲家)

100 1#\$aVerdi, Giuseppe, \$d1813-1901.

245 10\$aOtello :\$bin full score /\$cGiuseppe Verdi.

700 1#\$iLibretto based on (work):\$aShakespeare, William,\$d1564-1616.\$tOtello. → 歌詞劇本根據(作品)

787 08\$iReproduction of (manifestation):\$aVerdi, Giuseppe, 1813-1901.\$tOtello.\$dMilano: Ricordi, c1913 → 787 其他關係條目 \$i 轉製自(具體呈現)

# Linked Data與書目欄位 (5-3)

- 參考資源：
- 作者與作品關係用語及代碼參考：
  - [RDA 附錄I：「資源」與「個人、家族、團體」之間關係標示](#)
  - [RDA 附錄K：個人、家族、團體之間關係標示](#)
  - [關係標示代碼參考](#)
- 作品與作品關係用語參考：
  - [RDA 附錄J：作品、表現形式、具體呈現、單件之間關係標示](#)





# Linked Data與書目欄位 (5-4)

- 新增識別欄位(URI)：
  - \* 識別欄位 \$0 權威紀錄控制編號或標準編號(或URI)
  - \* 識別欄位 \$1 真實世界物件URI (包含實際或概念之人事時地物)
- 可加URI之欄位：
  - \* 1XX及7XX：個人、團體、會議名稱
  - \* 33X：內容、媒體、載體類型等語彙
  - \* 6XX：個人、團體、會議、題名、主題、時代、地名等標題
  - \* X30：劃一題名



# Linked Data與書目欄位 (5-5)

- Tag 758：資源識別欄位

- \* 說明書目紀錄中所描述資源，或是與其相關資源之關係

- \* \$a 可著錄人名、題名或其他人類可讀(human-readable)的名稱

- \* 分欄包括關係標示欄位\$i關係標示語、\$4關係標示語URI及URI欄位\$0、\$1

100 1#\$aBeard, Henry.

245 10\$aBored of the rings :\$ba parody of J.R.R. Tolkien's The lord of the rings /\$cby Henry N. Beard and Douglas C. Kenney of the Harvard lampoon.

758 ##\$4<http://rdaregistry.info/Elements/m/P30135>\$iHas work manifested:\$aBored of the Rings\$1<http://www.wikidata.org/entity/Q1613936> → 說明作品本身為表現形式

758 ##\$4<http://rdaregistry.info/Elements/w/P10197>\$iParody of (work):\$aTolkien, J. R. R. (John Ronald Reuel), 1892-1973. Lord of the rings\$0<http://id.loc.gov/authorities/names/no97079452>  
→ 說明與原作間之關係 (詼諧地仿自(托爾金. 魔戒))



# LDT@Library與書目欄位

- LDT@Library : <https://ld.ncl.edu.tw/>
- 規範標準與書目欄位

名稱	代碼	欄位	說明	分欄
中文人名權威 (Taiwan Name Authority File)	twnaf	100、700	人名款目	
		600	人名標題	600 _7 \$2 twnaf
中文主題詞表	lcstt	648	時代(朝代)標題	6xx _7 \$2 lcstt
		650	主題標題	
		651	地名標題	
中文圖書分類法(2007年版)	ncsclt	084	分類法	084 __ \$2 ncsclt

# 書目欄位範例

- 個人名稱

Tag 100 0\_ \$a 金庸,\$d1924-2018.\$4 aut

\$0 <https://ld.ncl.edu.tw/authority/78172>

\$1 <http://www.wikidata.org/entity/Q180626>

Tag 600 17 \$a 林語堂,\$d1895-1976.\$2 twnaf

\$0 <https://ld.ncl.edu.tw/authority/106216>

\$1 <http://www.wikidata.org/entity/Q334086>

- 標題欄位

Tag 648 \_7 \$a 漢代\$2 lcstt \$0 <https://ld.ncl.edu.tw/subject/87962>

Tag 650 \_7 \$a 圖書館學\$2 lcstt \$0 <https://ld.ncl.edu.tw/subject/101339>



# 權威資料庫優先級擇定



# 資料庫選用優先級：Alma系統 (2-1)

- 優先級排序擇定考量：
  - \* 盡量選用雲端紀錄，決定選用清單：
    - Alma CZ權威規範詞表：[Authority Vocabularies in the Community Zone](#)
      - \* Library of Congress Name (LCNAMES) → 西文人名
      - \* Taiwan Name Authority File (TWNAF) → 中文人名
      - \* List of Chinese Subject Terms (LCSTT) → 主題詞表
      - \* New classification scheme for Chinese libraries (NCSCLT) → 中文圖書分類法
    - Alma Local保留項目：日韓人名、西文譯名、團體名稱...
  - \* 同一人名在各資料庫均有紀錄之情形：LCNAMES中日韓人名
  - \* 系統自動比對並連結書目標目：依擇定順序比對連結

# 資料庫選用優先級：Alma系統 (2-2)

- NTU個人名稱優先級設定：

優先級	1	2	3
個人名稱規範詞表	Alma Local Authority (日韓人名、西文譯名、 團體名稱)	TWNAF (中文人名)	LCNAMES (西文人名)
主題詞規範詞表	LCSTT		
分類法規範詞表	NCSCLT		

- 紀錄發布：LDTTC (LDT@L資料建置後台) → Alma CZ Authority \*
- 系統設定：Alma CZ新增：twnaf(人名) / lcstt(主題詞) / ncsclt(分類法)
- 紀錄移除：Alma CZ開通前移除Alma Local中文權威紀錄


\* LDTTC紀錄定期更新至Alma CZ (每日更新)



# 操作流程：資料庫選用 & Alma Refine



# 操作流程：Alma系統-流程圖



\* 若查無權威紀錄，依各館權威政策新增權威或略過。




# 操作流程：Alma系統-標目格式調整

- 臺大圖書館人名標目著錄範例：

(舊格式)

```
100 0_ $a 魯迅  
100 1_ $a 李, 白, $c [唐]  
100 1_ $a 林, 一銘, $c [清]  
100 1_ $a 徐, 嘉, $d 1968-  
100 1_ $a 陳, 怡君 $c [人類學]
```



(新格式)

```
100 0_ $a 魯迅  
100 1_ $a 李白, $d 701-762  
100 1_ $a 林一銘, $d 清  
100 1_ $a 徐嘉, $d 1968-  
100 1_ $a 陳怡君 $c (人類學家)
```




# 操作流程：Alma系統-資料庫選用(7-1)

- Alma系統人名標目選用操作

- 人名標目按F3

100	1		\$Sa 張愛玲.\$4aut	→ 按F3
245	1	0	\$Sa 十八春 / \$Sc 张爱玲著	
250			\$Sa 第1版	
260			\$Sa 杭州市 : \$Bb 浙江文艺, \$Sc 2003.	
300			\$Sa 344面 : \$Bb 圖 ; \$Sc 21公分	

- 查看可選用人名資料庫：Local → TWNAF → LCNAMES



# 操作流程：Alma系統-資料庫選用(7-2)

- Alma系統人名標目選用操作

3. 中文人名改選「TWNAF」資料庫，可點選「View」查看紀錄內容

The screenshot displays the Alma system interface for selecting a name record. At the top, the record title is '十八春 / 张爱玲著 (991019592489704786)'. Below this, there are tabs for 'Record', '01', and 'MARC21 Bib'. A search bar contains the query '\$\$a 張愛玲.\$4aut'. To the right of the search bar are buttons for 'Create Authority Record', 'Expand', and 'Cancel'. Below the search bar, there are tabs for 'LOCAL', 'TWNAF', 'LCNAMES', and 'Headings from bibliographic records'. The 'TWNAF' tab is selected. The main area shows a list of name records with 'View' and 'Select' buttons for each. The record '張愛玲, 1920-1995' is highlighted in yellow, and its 'View' button is also highlighted in yellow. Other records include '張愛金', '張愛玲', '張愛玲, 1967-', '張愛玲, (大眾傳播)', '張愛玲, (物理學)', and '張愛玲, (中國文學), 1920-1995'.

Name	View	Select
★ 張愛金	View	Select
★ 張愛玲	View	Select
-- Your entry would be here --		
★ 張愛玲, 1920-1995	View	Select
張愛玲, 1967-	View	Select
★ 張愛玲, (大眾傳播)	View	Select
張愛玲, (物理學)	View	Select
張愛玲, (中國文學), 1920-1995	View	Select



# 操作流程：Alma系統-資料庫選用(7-3)

- Alma系統人名標目選用操作

4. 星號代表為使用的標目(Tag 100)；無星號者為不用的標目(Tag 400)


The screenshot displays the Alma system interface for selecting a name authority record. The left pane shows a list of names with '張愛玲, 1920-1995' selected and highlighted in yellow. The right pane shows a list of tags, with '100 1 \$\$a 張愛玲, \$\$d 1920-1995' highlighted in yellow and labeled '使用的標目' (Used tag) and '400 1 \$\$w nne \$\$a 張愛玲, \$\$c (中國文學), \$\$d 1920-1995' highlighted in red and labeled '不用的標目' (Not used tag).

Tag	Label
100 1	張愛玲, 1920-1995 (Selected)
400 1	張愛玲, (中國文學), 1920-1995 (Not Selected)



# 操作流程：Alma系統-資料庫選用(7-4)

- Alma系統人名標目選用操作

5. 若原本標目格式就一致，按F3查看時，符合的權威標目會有  符號



十八春 / 张爱玲[著] (991023721599704786)

Record 01 MARC21 Bib

100 1 \$\$a 張愛玲, \$\$d 1920-1995. \$\$4 aut

LOCAL TWNAF LCNAMES Headings from bit

< >

- ★ 張愛金
- ★ 張愛玲
-  張愛玲, 1920-1995


# 操作流程：Alma系統-資料庫選用(7-5)

- Alma系統人名標目選用操作

6. 查看內容後，確認為同人則點選「**Select**」選用



7. 回書目編輯畫面確認標目格式及是否連結



# 操作流程：Alma系統-資料庫選用(7-6)

- Alma系統人名標目選用操作

\* 標題段\$2規範詞表代碼需與資料庫搭配正確，連結才會正確 ([對照表](#))

6xx x7 \$2 twnaf / local / lcstt

600	1	7	\$\$a 嚴復, \$\$d 1854-1921. \$\$2 twnaf \$\$1 <a href="http://www.wikidata.org/entity/Q559957">http://www.wikidata.org/entity/Q559957</a>
600	1	7	\$\$a 福澤諭吉. \$\$2 local \$\$1 <a href="http://www.wikidata.org/entity/Q355447">http://www.wikidata.org/entity/Q355447</a>
650		7	\$\$a 比較研究. \$\$2 lcstt
650		7	\$\$a 學術思想. \$\$2 lcstt

600	1	7	\$\$a 馬基雅弗利 \$\$c (Machiavelli, Niccolò, 1469-1527) \$\$2 local
600	1	0	\$\$a Machiavelli, Niccolo, \$\$d 1469-1527
600	1	7	\$\$a 曹操, \$\$d 1550718-2200315. \$\$2 twnaf





# 操作流程：Alma系統-資料庫選用(7-7)

- Alma系統人名標目選用操作

- \* 從Alma CZ查看TWNAF權威紀錄

Authorities (1 - 20 of 41) 金庸

Search Zone:  
Institution  
Community

Facets

- Heading Usage
  - Names (41)
  - Series (14)
  - Subjects (41)
- Vocabulary
  - BARE (1)
  - GND (1)
  - HKCAN (20)
  - LCNAMES (16)
  - NLI (1)
  - TWNAF (2)**
  - Less

1  International Conference on Jin Yong and Twentieth Century Chinese Literature  
金庸小說與二十世紀中國文學國際學術研討會  
Record number: (HKCAN)9811122538403406 Vocabulary: HKCAN  
Seen from: 金庸小說與二十世紀中國文學, Jin Yong xiao shuo yu er shi shi ji Zhongguo wen xue Originating System ID: 9811122538403406  
Creation Date: 2019/02/12 18:03:23  
Modification Date: 2019/02/12 18:03:22


1  金庸, 1924-2018  
Record number: (NBI)78172 Vocabulary: TWNAF  
Originating System ID: 78172  
Seen from: 金庸, (中國文學), 1924-2018, 歐陽生, 1924-2018, 翟迅, 1924-2018 and others  
Creation Date: 2021/10/31 18:02:25  
Modification Date: 2022/03/01 00:43:06

2  楊明剛  
Record number: (NBI)371680 Vocabulary: TWNAF  
Originating System ID: 371680  
Seen from: Yangshuo, 陽朔, Jinyongxin. and others  
Creation Date: 2022/02/16 04:40:24  
Modification Date: 2022/03/01 05:40:26




# 操作流程：Alma系統-Alma Refine下載(4-1)

1. Alma Refine下載：  
Cloud App Center  
→ Available Apps  
→ Alma Refine



# 操作流程：Alma系統-Alma Refine下載(4-2)

## 2. 點選Alma Refine → Activate進行下載





The image shows a screenshot of the Alma Refine application interface. On the left, there is a blue square containing a black diamond icon. To the right of this icon, the text reads "Alma Refine" followed by "Refine Alma BIB records using OpenRefine services". Below this, there is a "Description" section with the text: "This app can be used to refine bibliographic records with services that adhere to the OpenRefine standard. References to the Getty vocabularies, WikiData, and GeoNames are included with the app." At the bottom left of the description, it says "By: Ex Libris" with a small logo. A red rectangular box highlights a blue "Activate" button located to the right of the description text.

# 操作流程：Alma系統-Alma Refine下載(4-3)

3. Alma Refine下載完成，點擊「Open」可開始使用

4. 重新啟動Alma Refine：

Cloud App Center → Activated Apps → Alma Refine



# 操作流程：Alma系統- Alma Refine下載(4-4)

5. Alma Refine目前可提供使用的URI標準：點選 **Select a refine service** 下拉查看



The screenshot displays the Alma Refine interface. On the left, the 'Alma Refine' header is visible with a diamond icon. Below it, there is a section for 'Set' with a radio button and a 'Select a set' input field. At the bottom left, a dropdown menu labeled 'Select a refine service' is highlighted with a red box. An orange arrow points from this dropdown to a list of services on the right. The list includes 'Getty Vocabularies', 'Wikidata' (highlighted in yellow), 'GeoNames', 'GND', 'BNF', and 'SUDOC'. A 'Begin Refining' button is located at the bottom right of the main interface.

# 操作流程：Alma系統-Alma Refine實作(7-1)

- 利用Alma Refine幫人名標目加上Wikidata URI

(單筆紀錄)


1. 開啟單筆紀錄書目編輯

2. 啟動Alma Refine：

Cloud App Center

→ Activated Apps

→ Alma Refine



The screenshot displays the Alma Refine interface. The main area shows a list of records with fields like LDR, 001, 005, 008, 020, 035, 035, 035, 040, 066, 084, 097, 100, 245, 250, and 260. The record at 100 is highlighted, showing the author '張愛玲' and the title '十八春'. The right sidebar shows the 'Cloud App Center' with 'Activated Apps' and 'Available Apps' sections. Under 'Suggested Apps (for this page)', the 'Alma Refine' app is prominently displayed with a diamond icon.



# 操作流程：Alma系統-Alma Refine實作(7-2)

- 利用Alma Refine幫人名標目加上Wikidata URI

(單筆紀錄)

## 3. 選擇要附加URI紀錄

(書目中的人名標目均會進行比對)

## 4. 選擇URI標準：Wikidata

## 5. Begin Refining

(開始比對)

The screenshot displays the Alma Refine interface. On the left, a list of bibliographic records is shown, with the record for '十八春 / 张曼玲[著]' (18 Spring / Zhang Manling) selected. The record details include the title, author, and various identifiers. On the right, the 'Alma Refine' panel is visible, showing options to refine records. The 'Select Records' radio button is selected, and the 'Check/Uncheck All' checkbox is checked. The 'Begin Refining' button is highlighted with a red box. The 'Wikidata' dropdown menu is also visible, indicating the selected URI standard.





# 操作流程：Alma系統-Alma Refine實作(7-3)

- 利用Alma Refine幫人名標目加上Wikidata URI  
(單筆紀錄)

6. 比對完成，點選比對結果項目 **Select a refinement**


→ 展開畫面檢視比對內容






# 操作流程：Alma系統-Alma Refine實作(7-4)

- 利用Alma Refine幫人名標目加上Wikidata URI  
(單筆紀錄)
7. 展開畫面，滑鼠移至相關人名，可跳出相關資訊視窗



The screenshot displays the Alma Refine interface. At the top left, there is a blue diamond icon and the text 'Alma Refine 展開後畫面'. On the right side, there are 'Back' and 'Save' buttons. The main area shows a table with columns for 'MMS ID', 'Title', and 'Refine Fields'. A single row is visible with the following data:

MMS ID	Title	Refine Fields
991023721599704786	十八春 /	100\$a: 張愛玲,  Eileen Chang (Q197155) Chinese-born American essayist, novelist, and screenwriter

A dropdown menu is open over the 'Eileen Chang' entry, listing the following options: None, Zhang Ailing, Eileen Chang (highlighted), The Legend of Eileen Chang, 黃定柱, Huang Suqiong, and Low to Dust. A red text annotation at the bottom of the dropdown reads: '滑鼠移至相關人名，可跳出相關資訊視窗'.



# 操作流程：Alma系統-Alma Refine實作(7-5)

- 利用Alma Refine幫人名標目加上Wikidata URI  
(單筆紀錄)

8. 確認後點選人名，並按「Save」，程式即會在書目紀錄的人名加上URI



The screenshot displays the Alma Refine interface. At the top left, there is a blue diamond icon and the text "Alma Refine". Below this, there is a table with columns for "MMS ID", "Title", and "Refine Fields". The first row of the table contains the MMS ID "991023721599704786", the title "十八春 /", and the refine field "100\$a: 張愛玲,". To the right of the refine field, the name "Eileen Chang" is highlighted in yellow. In the top right corner, there are two buttons: "Back" and "Save". The "Save" button is highlighted with a red box. At the bottom right, there is a pagination control showing "Items per page: 5" and "1 - 1 of 1".

# 操作流程：Alma系統-Alma Refine實作(7-6)

- 利用Alma Refine幫人名標目加上Wikidata URI  
(單筆紀錄)
9. 至書目紀錄瀏覽畫面確認 (書目編輯畫面附加時間會有時間差)

100	1_  a 張愛玲,  d 1920-1995.  4 aut  1 <a href="http://www.wikidata.org/entity/Q197155">http://www.wikidata.org/entity/Q197155</a>
245	10  a 十八春 /  c 张爱玲[著]
250	_  a 第1版
260	_  a [南京] :  b 江蘇文藝,  c 1986.
300	_  a 357面 ;  c 19公分

# 操作流程：Alma系統-Alma Refine實作(7-7)

- 利用Alma Refine幫人名標目加上Wikidata URI

(多筆紀錄)

1. 查詢待附加URI之紀錄
2. 啟動Alma Refine
3. 選擇要附加URI之紀錄：  
無法將查詢結果一次全部  
加上URI，僅能處理以  
「頁」為單位之紀錄

\* 重複單筆處理4-9之步驟，  
以完成多筆紀錄之附加URI

The screenshot displays the Alma Refine interface. At the top, there's a search bar with 'Physical titles' and 'Names' selected, and a search term '張愛玲'. Below the search bar, there are navigation tabs: 'Open Metadata Editor', 'Search Resources', 'Browse Bibliographic Headings', 'Authority Control Task List', and 'Manage Sets'. The main content area shows 'Physical Titles (1 - 20 of 354)' for '張愛玲'. There are options for 'Institution' and 'Community', and a 'Select All' button. The search results are sorted by 'Series - Asc' and 'Secondary Sort by: Rank'. The first result is highlighted, showing details for a book by 張均, published in 2009. The interface also includes a 'Facets' sidebar on the left with categories like 'Material Type', 'Resource Type', 'Language', 'Publication Year', and 'Collection'. On the right side, there's a 'Back to App List' button and an 'Alma Refine' section with instructions on how to begin refining records. A 'Begin Refining' button is highlighted in a red box.



# 操作流程：非Alma系統(4-1)

- 討論待使用的權威資料庫：
  - \* 自身系統權威、SMRT、TWNAF(LDT@L查詢標目)、LCNAMES...
  - \* 下載至自身系統或僅從外部查詢使用?
- 標目欄位規範與格式是否調整？
  - \* 標目形式 (Tag 100、600、700)
  - \* 關係欄位 (\$4、\$e、\$i)
- 是否加上LDT@L URI (\$0)、其他URI (\$1)及URI標準擇定？



# 操作流程：非Alma系統 (4-2)

- 附加LDT@Library權威紀錄URI於書目人名標目\$0
  1. [LDT@Library](#) 查詢人名：Name、Preferred name (Tag 100標目)

The screenshot shows a search interface for a library system. The search bar contains the text '金庸'. To the right of the search bar, there is a dropdown menu with the text '人名權威' (Person Authority) and a search icon. The dropdown menu is open, showing options: '任何欄位' (Any field), 'Name', 'Preferred name' (highlighted in green), 'Variant name', 'Source / Note', and 'ID'. Below the search bar, there is a table with the following columns: 'Label', 'Concept', and 'Refine results'. The table has one row with the following data: '1', '金庸, 1924-2018' (highlighted in a red box), '金庸, 1924-2018', and 'PersonalName'. The 'Refine results' section shows 'Type' as 'PersonalName' and '1'. At the bottom of the table, there is a pagination bar with the text '前一頁 1 下一頁' and '顯示第 1 至 1 筆資料，共有 1 筆資料'.

# 操作流程：非Alma系統 (4-3)

- 附加LDT@Library權威紀錄URI於書目人名標目\$0

2. 點選查詢結果中之人名標目

Label	
1	金庸, 1924-2018 金庸, 1924-2018

3. 複製紀錄中之URI，  
貼於書目紀錄中人名標目  
\$0 權威紀錄URI

金庸, 1924-2018
URI(s): - <a href="https://ld.ncl.edu.tw/authority/78172">https://ld.ncl.edu.tw/authority/78172</a>

100 0\_\$a 金庸,\$d 1924-2018.\$0 <https://ld.ncl.edu.tw/authority/78172>




# 操作流程：非Alma系統 (4-4)

- 附加Wikidata URI於書目人名標目\$1

1. [Wikidata](#) 查詢人名
2. 確認並點選查詢結果中之人名標目
3. 複製紀錄中之URI：左下方Tools → Concept URI → 按右鍵 → 複製連結網址
4. 貼於書目紀錄中人名標目\$1

100 0\_\$a 金庸,\$d 1924-2018.\$0 <https://ld.ncl.edu.tw/authority/78172> \$1 <http://www.wikidata.org/entity/Q180626>






# Alma功能：報表功能 & 批次修改

# Alma功能：Alma權威報表 (3-1)


- Alma功能報表位置：Resources → Cataloging → Authority Control Task List
- Alma功能說明：[Using the Authority Control Task List](#)

\* 可提供近6個月內的報表資料



# Alma功能：Alma權威報表 (3-2)

- 可依篩選條件或後分類查看權威與書目連結狀況



Authority Control Task List (1 - 20 of 10,830)

Review **All**

MMS ID

**Report Type**: All **Linked Inventory Type**: All **Brief Level**: All **Suppressed from Discovery**: All **Linked to Community Zone**: All

**Submit Date Range**: 2022/04/06 - 2022/04/13

	Report Type	Change Date	MMS ID	Title	Vocabulary	Field	BIB Heading Before	BIB Heading After	AUT Originating System ID		
1	<input type="checkbox"/>	Linking - BIB heading found no matching AUT headings	2022/04/07	991008...	靖海紀略 四卷 /	LOCAL	100	曹履泰	-	-	...
2	<input type="checkbox"/>	Linking - BIB heading found no matching AUT headings	2022/04/07	991011...	靖海紀略 四卷 /	LOCAL	100	曹履泰	-	-	...



# Alma功能：Alma權威報表 (3-3)

- 篩選條件：Report Type (規範控制類型)細項

\* 完整清單與說明見 [Viewing Tasks](#)

- Linking – Bibliographic heading found no matching authority heading↵
- Linking – Bibliographic heading found multiple matching authority headings (ambiguous)↵
- Linking – Bibliographic heading linked to an authority record↵
- Linking – Bibliographic heading link changed due to a new authority record replacing an existing authority record (redirection)↵
- Preferred term correction – Bibliographic heading updated↵
- Preferred term correction – Multiple matching AUT headings with same Originating System ID (ambiguous)↵
- Preferred term correction – Bibliographic heading found no authorized term↵
- Authority record deleted – Unlinked the bibliographic heading↵
- Authority record updated↵

- 鏈結 - 書目標目未找到匹配的權威標目↵
- 鏈結 - 書目標目發現多個匹配的權威標目 (不明確)↵
- 鏈結 - 書目標目鏈結到權威紀錄↵
- 鏈結 - 書目標目鏈結因新權威記錄替換現有權威記錄而改變 (重定向)↵
- 首選詞更正 - 書目標目更新↵
- 首選詞更正 - 具有相同原始系統號匹配多個權威標目 (不明確)↵
- 首選詞更正 - 書目標目未找到控制詞彙↵
- 權威記錄已刪除 - 取消鏈結書目標目↵
- 權威記錄已更新↵

謝謝聆聽~

